Bid price as specified without options as per Federal and State of Ohio Department of Education minimum school bus specifications under 4501-5 (inclusive) ORC. All bids will comply with the current safety regulations of the Department of Education adopted by and with the advice and consent of the director of public safety pursuant to section 4511.76 of the Revised Code and all other pertinent provisions of law. The body/chassis supplier shall provide and attach a complete body/chassis specification sheet itemizing- including manufacturer brand names of the State of Ohio Department of Education minimum school bus body/chassis that will be supplied at this base bid. Must meet or exceed FMVSS/CMVSS standards.

By signing this specification, you guarantee that the equipment being bid meets all state specifications

New London Local Schools	District	419.929.9559	Phone Number
Daniel D. Bailey - Transportation Supv.	Contact Person		
dbailey@newlondon.k12.oh.us			
Vendor List base price			
(Includes freight)			

Bus Size (Conventional)	Please list specifications for the following information in the space provided below	71/72	77/78	Standard Available or Additional
Bus Make		Х	Х	
Bus Model		Х	Х	
Base Bid Price		Х	Х	
Maximum Vehicle Length Bumper to Bumper (inches)		Х	Х	
Maximum Vehicle Width Including Mirrors (inches)				
Maximum Vehicle Width Excluding Mirrors (inches)				
GVWR		Х	Х	
Maximum Vehicle Height Overall at GVWR Including Hatch (inches)				
Maximum Height of First Step (inches)				
Wheelbase (inches)		Х	Х	
Delivery Days		Х	Х	
Special discounts		Х	Х	

Important Notice: On all items below vendor must mark standard (Std), list additional price to base, list duplicated or mark N/A.

				Standard
				Available
	Please list specifications for the following			or
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
				Price if
				Same for
BUS SIZE (CONVENTIONAL)		71/72	77/78	All Sizes
ENGINES AND TRANSMISSIONS AVAILABLE				
Cummins B6.7 200HP 520 lb-ft torque/Allison 2500PTS SCR				
Cummins B6.7 200HP 520 lb-ft torque/Allison 2550PTS SCR				
Cummins B6.7 200HP 520 lb-ft torque/Eaton Procision SCR				
Cummins B6.7 220HP 520 lb-ft torque/Allison 2500PTS SCR				
Cummins B6.7 220HP 520 lb-ft torque/Allison 2550PTS SCR				
Cummins B6.7 220HP 520 lb-ft torque/Eaton Procision SCR				
Cummins B6.7 220HP 600 lb-ft torque/Allison 2500PTS SCR			Х	
Cummins B6.7 220HP 600 lb-ft torque/Allison 2550PTS SCR				
Cummins B6.7 220HP 600 lb-ft torque/Eaton Procision SCR				
Cummins B6.7 240HP 560 lb-ft torque/Allison 2500PTS SCR				
Cummins B6.7 240HP 560 lb-ft torque/Allison 3000PTS SCR				
Cummins B6.7 240HP 560 lb-ft torque/Eaton Procision SCR				
Cummins B6.7 240HP 660 lb-ft torque/Allison 2500PTS SCR				
Cummins B6.7 240HP 660 lb-ft torque/Eaton Procision SCR				
Cummins B6.7 250HP 660 lb-ft torque/Allison 2500PTS SCR				
Cummins B6.7 250HP 660 lb-ft torque/Allison 3000PTS SCR				
Cummins B6.7 250HP 660 lb-ft torque/Eaton Procision SCR				
Cummins B6.7 260HP 660 lb-ft torque/Allison 2500PTS SCR				
Cummins B6.7 260HP 660 lb-ft torque/Allison 3000PTS SCR				
Cummins B6.7 260HP 660 lb-ft torque/Eaton Procision SCR				
Cummins ISB6.7 G, CNG engine.				
Ford 6.8 liter, CNG, automatic transmission				
Ford 6.8 liter, gasoline, automatic transmission		х		
Ford 6.8 liter, propane, automatic transmission, LPG autogas				
Ford 6.8L propane engine/6R140 Ford transmission				
GM propane, automatic transmission GAS				
IC Gas PSI 8.8 Liter, 265HP Gasoline with Automatic Transmission				
IC/PSI 8.8 liter, 270HP propane, with Automatic Transmission GAS				

	Bus Size (Conventional)	Please list specifications for the following information in the space provided below	71/72	77/78	Standard Available or Additional
20	IC/PSI 8.8 liter, gasoline, with Automatic Transmission	information in the space provided below	71/72	77/78	Additional
	IC/PSI 8.8 liter, propane, with Automatic Transmission LPG autogas				
	PI 8 liter propane, automatic transmission LPG autogas				
	Antifreeze, Extended Life		Х	Х	
	Water filter extended life		Α	^	
	Exhaust Brake				
	Heated fuel water separator			х	
	Heated fuel water separator remote mounted				
	Overcrank starter				
	Quick warm up option		Х	х	
	Transmission push button quadrant for Allison 3000 PTS				
	Transynd transmission fluid		х	х	
	Speed Retarder System				
43	Factory set governed speed at 70 mph. (for interstate travel)		Х	Х	
44	Other:				
45					
48	AIR DRYER				
49	Bendix AD-IP				
50	Bendix AD-9		Х	Х	
51	Bendix DV-2				
52	Moisture ejector auto				
53	Moisture ejector manual (pull chain)				
54	Mount air dryer outside of frame rail				
55	Moisture ejector auto, all tanks				
56	Other:				
57					
	ALTERNATOR/COMPRESSOR				
	Larger alternator 185 amps Leece Neville				
62	Larger alternator 200 amps Leece Neville				
	Larger alternator 210 amps Leece Neville				
	Larger alternator 240 amps Leece Neville		х	Х	
65	Larger alternator 270 amps Leece Neville				

					Standard Available
		Please list specifications for the following			Or
	Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
66	Larger alternator 320 amps Leece Neville	information in the space provided below	71/72	77/70	Additional
	Larger alternator 325 amps Leece Neville				
	Delco Remy 200 AMP Alternator with 2 year warranty				
	Circuit breakers where available		х	Х	
	Larger air compressor 18.0 cfm		X	X	
	Minimum 3 separate reservoirs 3600 cu. In. min.		X	X	
	Other:		^	^	
73					
	AXLES/BRAKES/SUSPENSION				
	30-30 Long stroke chamber and heavy duty spring brake				
	ABS with Traction Control				
	Air Brakes - front. 15 X 4				
	Air Brakes - front. 15 X 5				
	Air Brakes - front. 16.5x4				
	Air Brakes - front. 16.5x5				
	Air Brakes - rear. 16.5x7				
	Brake drums mounted outboard only				
	Air Disc Brakes		Х	Х	
	Hydraulic Brakes. State size:		^	Α	
	Platinum Shield Shoe Lining, Protects Against Rust Jacking				
	Automatic slack adjusters, Haldex				
	Automatic slack adjusters, Meritor				
	Differential lock or positraction				
	Dust shields, front and rear				
	E-Z Grip parking brake cover		х	Х	
	Front heavy duty shocks		X	X	
	Rear heavy duty shocks		X	X	
	Interlock Brake System. State Brand:				
	Leveling Valve - front single				
	Leveling Valve - rear single		х	Х	
	Oil lubricated wheelbearings front		X	X	
	Stemco seals front				
					I .

				Standard
	Diago list angeifications for the following			Available or
Bus Sina (Compantional)	Please list specifications for the following information in the space provided below	71 /72	77/70	Additional
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
100 Stemco seals rear				
101 Synthetic HUD ILO oil		х	Х	
102 Front axle 10,000 LBS				
103 Front axle 12,000 LBS		х	Х	
104 Rear axle 17,000 LBS				
105 Rear axle 19,000 LBS				
106 Rear axle 20,000 LBS				
107 Rear axle 21,000 LBS		Х		
108 Rear axle 23,000 LBS			Х	
109 Front air suspension 10,000 LBS				
110 Front spring suspenstion 8,500 LBS				
111 Front spring suspenstion 10,000 LBS				
112 Rear Air Suspension 21,000 LBS		x		
113 Rear Air Suspension 23,000 LBS			Х	
114 Rear Spring Suspension 17,000 LBS				
115 Rear Spring Suspension 19,000 LBS				
116 Rear Spring Suspension 21,000 LBS				
117 Rear Spring Suspension 23,000 LBS				
118 Must have Grease Zirks in U-joints on Driveshaft, must be Greaseable				
119 Other:				
120				

				Standard Available
	Please list specifications for the following			or
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
128 BATTERIES/BLOCK HEATERS				
129 1-12 volt 8D. List CCA:				
130 2-12 volt 31 S. List CCA:				
131 2-12 volt 31 S. List CCA:				
132 2-12 volt 8D. List CCA:				
133 3-12 volt 31 S. List CCA:		Х	Х	
134 3-12 volt 31 S. List CCA:				
135 Heavy Duty Battery Box on HD Sliders		Х	Х	
136 Heavy Duty Battery Box W/ Roller Tray				
137 Key lock battery box				
138 Loom battery cables				
139 Master electric cutoff switch				
140 No Rust Composite Battery Box				
141 Stainless battery tray				
142 Block heater plug front mounted plug		Х	Х	
143 Block heater plug rear mounted plug				
144 Engine block heater 750 watts		Х	Х	
145 Engine block heater 1250 watts				
146 Espar Diesel Heater E-Guardian 42K BTU				
147 Espar Diesel Heater E-Guardian 17K BTU				
148 Webasto Diesel Heater Scholastic Series 45K BTU				
149 Webasto Diesel Heater TLS 17K BTU				
150 Diesel heater manual on/off switch. State brand and Model:				
151 Diesel heater 7 day timer. State brand and Model:				
152 Mount Webasto Controller/Timer in Driver's Area				
153 Battery Box Plastic Cover KIT				
154 Other:				
155				
158 BODY STRUCTURE/PAINT				
159 Body Tie Downs: "Texas U-Bolt"				
160 Body Tie Downs: Double bolted			_	
161 Drip moulding formed in roof panels over windows		Х	Х	

				Standard Available
	Please list specifications for the following			or
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
162 Drip Moulding/Rain Deflector Full Body Length				
163 Heavy duty front tow hooks frame mounted		Х	Х	
164 Heavy duty rear tow hooks frame mounted		Х	Х	
165 Grill painted silver		Х	Х	
166 Paint Hood flat black				
167 Paint Hood Yellow, low gloss		Х	Х	
168 Roof-White		Х	Х	
169 Stainless steel Screws for fenders/body, ext. mirrors, cross gate & stop arm				
170 Other:				
171				
178 24/7 64 GB SDHC sensors and panic button installed				
179 24/7 additional camera				
180 24/7 GPS				
181 24/7 Stop arm camera				
182 24/7 Dome camera				
183 REI 500 GB DHD sensors and panic button installed				
184 REI 320 GB DHD sensors and panic button installed				
185 REI 64 GB SDHC sensors and panic button installed				
186 REI additional camera				
187 REI Wi-Fi bridge				
188 REI GPS				
189 REI Stop arm camera				
Angel Trax video system, 7 camera (3 outside, 4 inside), Hybrid guest with				
190 VSM				
191 Seon 1 Camera System				
192 Seon 2 Camera System				
193 Seon 3 Camera System				
194 Seon 4 Camera System				
195 Other:				
196				
197				

Bus Size (Convention	51)	Please list specifications for the following information in the space provided below	71/72	77/78	Standard Available or Additional
198	31)	information in the space provided below	71/72	77776	Additional
199					
	CH/POWER VENTILATORS				
	ency window instructions decals on windows - external				
201 mounted on window	,				
	atches included per size of unit:		2	2	
203 Roof Escape Hatch Lo	·		х		
	wer Ventilated. List Brand:				
205 Roof Escape Hatch sta					
206 Additional roof hatch					
207 Power Ventilator. Stat	e Brand:				
	/indow - horizontal hinged				
209 Pushout Emergency V			х	Х	
210 Rear window air dam	•				
211 Other:					
212					
213					
214 DOORS/LOCKS					
Air-operated heavy du	uty, outward opening entrance door, full view glass,				
215 greaseable hinges			х	Х	
Deluxe manual heavy	duty, outward opening entrance door, full view glass,				
216 greaseable hinges					
Electric heavy duty, or	utward opening entrance door, full view glass,				
217 greaseable hinges					
218 Paint Entrance Door Y	ellow				
219 Vandal lock entrance	·		Х	Х	
220 Vandal lock entrance	·				
221 Vandal Lock rear door					
	gency window with interlock				
223 Vandal lock lift door v					
	aled hinges (Must have Zerk Fittings)				
225 Rear door with grease	able door hinges (Must have Zerk Fittings)		х	Х	

Bus Size (Conventional)	Please list specifications for the following information in the space provided below	71/72	77/78	Standard Available or Additional
226 Header pad mounted above rear door	·	х	х	
227 Header pad mounted above entrance door		Х	Х	
228 Upholstered header pad mounted above rear door				
229 Upholstered header pad mounted above entrance door				
230 Other:				
231				
232				
233				
234 FLOOR/STEPWELL				
235 5/8" 5-ply type CD exterior grade				
236 5/8" Marine grade plywood		Х	Х	
237 5/8" Treated plywood				
238 Aluminum floor trim (aisle, other)				
239 Stainless steel floor trim (aisle, other)				
240 Plastic or vinyl floor trim		Х	Х	
241 Floor coloring Black		Х	Х	
242 Floor coloring Brown				
243 Floor coloring Gray				
244 Floor coloring Green				
245 Floor coloring Light Blue				
246 Floor coloring Tan				
247 One piece floor covering				
248 One piece floor covering - GRAY				
249 Studded texture step treads metal backed				
250 Studded texture step treads non-metal backed				
251 Insulated step well (for sound abatement)				
252 Stainless steel stepwell (State steel gauge):		Х	Х	
253 One Piece Polyethalene composite stepwell				
254 Steel preformed with Proflex				
255 Koroseal entire floor				
256 Koroseal floor trim				
257 Koroseal pebble tread				

				Standard Available
	Discontinuo sifirationa fantha fallancia			or
Bus Size (Commentional)	Please list specifications for the following	74 /72	77/70	Additional
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
258 Fold-out step power activated				
259 Fold-out step manually operated				
260 Other:				
261				
262				
263				
264 FUEL TANKS				
265 12 Gallon DEF tank with locking door				
266 15 Gallon DEF tank with locking door			Х	
267 Between frame rail, diesel 45 gallon				
268 Between frame rail, diesel 60 gallon				
269 Between frame rail, diesel 100 gallon			Х	
270 Between frame rail, gasoline 60 gallon				
271 Between frame rail, gasoline 100 gallon		Х		
272 Between frame rail, propane 48 gallon				
273 Between frame rail, propane 69 gallon				
274 Between frame rail, propane 90 gallon				
275 Between frame rail, propane 98 gallon				
276 Propane fuel filler nozzle, Euro-style				
277 Propane fuel door interlock				
278 Fuel door lock		х	Х	
279 Fuel door right side access		х	Х	
280 Tough coat fuel tank		х	Х	
281 Between frame rail, diesel 65 gallon				
282 Between frame rail, diesel 105 gallon				
283 Other:				
284				
285			_	
286				
287 GAUGES/BREAKERS/CONTROLS				
288 12 Volt accessory plug		Х	Х	
289 Alarm- Backup with 107 dB(A)				

	Please list specifications for the following	74/72	77/70	Standard Available or Additional
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
290 Alarm- Backup with 112 dB(A)		Х	Х	
291 Ampere gauge to match alternator output		Х	Х	
292 Engine hour meter		Х	Х	
293 Transmission oil temperature gauge		Х	Х	
294 Optional Gauge Package. Please specify:				
295 Circuit breakers where available, auto reset		Х	Х	
296 Circuit Breakers where available, manual reset		Х	Х	
297 Clock		Х	Х	
298 Cruise control		Х	Х	
299 Headlight on, key off, alarm		Х	Х	
300 Idle time circuit turned on		Х	Х	
301 Two Spare Circuits - 14 gauge wire		Х	Х	
302 Door switch on left panel (not on steering wheel)				
303 Other:				
304				
305				
306				
307 HEATER, ADDITIONAL LARGER/ AIR CONDITIONING				
308 Air conditioning – Underbody condenser, 120,000 BTU or greater				
309 Air conditioning – Rooftop condenser, 120,000 BTU or greater				
310 List Standard Heater BTU units cost:				
311 List Standard Right Front BTU: 50K		Х	Х	
312 List Standard Left Front BTU: 90K		Х	Х	
313 List Standard Midship BTU: 50K			Х	
314 List Standard Rear BTU: 50K		Х	Х	
315 List Optional Heater BTU units cost:				
316 List Optional Midship BTU:				
317 List Optional Rear BTU:				
318 List Optional Right Rear Wall Mounted BTU:				
319 List Optional Right Rear Wall Mounted BTU:				
320 List Optional Left Rear Wall Mounted BTU:				
321 List Optional Left Rear Wall Mounted BTU:				

				Standard Available
	Please list specifications for the following			or
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
322 Radiant heating at floor line, twin copper pipe system				
323 Additional kick guards for all passenger area heaters				
324 List cost if driver heater kickguard is additional:				
325 Heater circulating pump. State Brand:				
326 Heater pump switch illuminated when on		Х	Х	
327 Heater cut-off ball valve all shut offs		Х	Х	
328 Passenger heater frame mounted, not floor mounted				
329 All heaters have replaceable filters		Х	Х	
Install rear left and right heaters - 84,500btu each - verticle mount in				
330 protective metal cage.				
331 Front, interior, A/C blower in front bulkhead				
332 Front, interior, A/C blower in rear bulkhead				
333 Rear AC blower in rear bulkhead				
334 Other:				
335				
336				
337				
338				
339 INTERIOR COLOR				
340 Astro White		Х	Х	
341 Beige				
342 Gray				
343 Sea Foam Green				
344 Spring White				
345 Other:				
346				
347				
348 INTERIOR PANELS				
349 Aluminized interior panels		Х	Х	
350 Galvanized Coated Interior Panels				
351 Lower Side Interior Panels are Embossed Steel and Clear Coated				
352 Modesty/kick panel behind driver's seat				

					Standard
					Available
		Please list specifications for the following			or
	Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
353	Other:				
354					
355					

				Standard Available
	Please list specifications for the following			or
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
356				
357 LIGHTS, EXTERIOR				
Additional side exterior directional lamps, below window and behind rear				
358 wheels				
359 Engine compartment light. State candle power:				
360 Exterior entrance light activated by opening of door				
361 Exterior light check system pre-trip inspection		Х	Х	
362 Fog lamps				
363 Incandescent Backup lights, 7"				
364 LED Backup lights, 7"		Х	Х	
365 LED Backup lights, state size:				
366 LED Side backup lights		Х	Х	
367 LED Backup light mounted behind rear axle, high intensity				
368 LED Brake lights, state size:				
369 LED Exterior Entrance Door Light		Х	Х	
370 LED Marker/Clearance lights		Х	Х	
371 LED package (state package components):				
372 LED Stepwell Light				
373 LED Tail lights, state size: 4"		Х	Х	
374 LED Turn signal, front 7"				
375 LED Turn signal, front fender mounted				
376 LED Turn signal, rear, state size:				
377 LED Turn signal, side mounted, front				
378 LED Turn signal, side mounted, front and rear				
379 LED Warning lights				
380 LED Warning lights, strobing				
381 LED Warning lights, Soundoff				
382 Lighted School Bus sign front and rear				
383 Recessed Exterior Lighting for water prevention damage				
384 Strobe light high profile				
385 Strobe light low profile inside power supply. State brand:		Х	Х	
386 Strobe light low profile outside power supply				

	Please list specifications for the following			Standard Available or
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
387 Tree guard on strobe lamp assembly				
388 Turn signal front fender mounted duel faced		х	Х	
389 Warning light sun visors		х	Х	
390 Weldon supplemental warning lights above bumpers		Х	Х	
391 4" LED STOP & TAIL LIGHTS W/LICENSE PLATE LIGHT				
392 Other:				
393				
394				
395 LIGHTS, INTERIOR/SWITCHES				
396 A/C system silent switch				
397 Additional dome light over driver's seat with separate switch		Х	Х	
Dome lamps shall be separately switched with three total switches: one for				
the driver's dome; one for the front half of the dome lights; and one for the				
398 rear half of the dome lights.				
399 Dome lights two rows		х	Х	
400 Dome lights, LED				
Dome Lights: Minimum of 10 total dome lights in the passenger				
401 compartment				
402 Door switch / Ambers on steering wheel				
403 Door switch on left panel (not on steering wheel)				
404 Warning light switch on left panel				
Install 6 chrome work lights - wall mounted under chair rail, Install switch in				
405 driver panel. 6 lights min.				
406 Lamp monitor 16 lamp				
407 Lamp monitor 8 lamp				
408 LED capable Monitor. State Brand:				
LED Red lights mounted in ceiling at all emergency windows and exits,				
409 controlled by headlight switch				
410 Luggage compartment lights, switch controlled at driver compartment				
Red lights mounted in ceiling at all emergency windows and exits, controlled				
411 by headlight switch				
412 Warning lamp system, 8 way flashing, Weldon				

Bus Size (Conventional)	Please list specifications for the following information in the space provided below	71/72	77/78	Standard Available or Additional
413 Warning light switch on left panel				
414 Other:				
415				
416				
417 MANUALS/SOFTWARE				
418 ABS software		Х	Х	
419 Engine software				
420 Transmission software				
421 All Parts/Service manuals in bound paper format				
422 All Parts/Service manuals in CD format		Х	Х	
423 Diamond Logic Builder Software, license, updates and annual renewal				
Laptop computer with all necessary licensing, hardware and software to properly diagnose engines, transmissions, ABS and all related electronic components. The computer should contain enough memory and storage capacity to run all programs including parts catalogs and maintenance and repair programs specific to the vehicles quoted. Eight (8) hours of training on this computer for the mechanics. One thousand dollars (\$1,000.00) will be held back from payment until completion of mechanic's training. Nexiq Adapter: USB port connection Other:				
427				
428				
429 MIRRORS, INTERIOR				
430 Mounted over rear emergency door, 10"x16" minimum				
431 Mounted over rear emergency door, 12"x18" minimum				
432 Mounted over rear emergency door, 18"x24" minimum				
433 Prizm mirror mounted inside on rear door				
434 Front 6" x 30" non-glare in lieu of standard		Х	Х	
435 Front 8" x 30" in lieu of standard				
436 Front, 10"x30" in lieu of standard				
437 Front, 10"x30" non-glare in lieu of standard				

Bus Size (Conventional)	Please list specifications for the following information in the space provided below	71/72	77/78	Standard Available or Additional
438 Sun visor 6x30		Х	х	
439 Right-side sun visor, minimum six inches by sixteen inches in size.				
440 Backup camera integrated into 6x30 rear view mirror				
441 Other:				
442				
443				
444				
445 MIRRORS, EXTERIOR				
446 All exterior stainless steel mirror brackets with bright finish.		х	Х	
447 Double nickel mirrors				
448 Extended passenger side mirror brackets for double nickel				
449 Mirrorlight mirror				
450 Mirrorlight remote control mirror				
451 Mirrorlite Crossview				
452 Rosco Crossview mirror		Х	Х	
453 Rosco heated mirrors		Х	Х	
454 Rosco heated remote control mirrors				
455 Rosco ES mirror heads				
456 Self-canceling mirror defrost switch				
457 Other:				
458				
459				
460				
461 PUBLIC ADDRESS/RADIOS/GPS				
462 Additional speakers inside – 2				
463 Additional speakers inside – 4		Х	Х	
464 Additional speakers inside – 6				
465 Additional speakers inside – 8				
466 AM/FM/CD Radio with four speakers				
467 AM/FM/CD/PA Radio with four speakers				
468 AM/FM/CD/USB/MP3 with four speakers				
469 AM/FM/CD/USB/MP3/PA with four speakers		Х	Х	

Bus Size (Conventional)	Please list specifications for the following information in the space provided below	71/72	77/78	Standard Available or Additional
470 AM/FM/PA Radio with four speakers		,	,	
471 AM/FM/USB/MP3 with four speakers				
472 AM/FM/USB/MP3/PA with four speakers				
473 Outside speaker				
474 Outside speaker mounted under hood				

Bus Size (Conventional)	Please list specifications for the following information in the space provided below	71/72	77/78	Standard Available or Additional
475 Public address system only. List # of speakers:		-	-	
Two-way radio, Motorola CDM750 or equal, with lockable mount and				
476 antennae (not mounted in bus)				
477 GPS System. State Brand:				
478 WiFi assist. State brand:				
479 TWO-WAY RADIO PRE-WIRED FOR UNIT AND ANTENNAE ON ROOF		Х	Х	
480 GPS wiring HArness ready				
481 Other:				
482				
483				
484 RADIATOR				
485 Air Controlled Automatic radiator shutters				
486 Electric fan clutch		Х	Х	
Fan drive hyd pump and motor with fixed speed and residual torque for				
487 disengaging fan speed				
488 Metal bolted tanks				
489 Viscous controlled fan				
490 Winterfront				
491 Other:				
492				
493				
494 REFLECTIVE MARKINGS / LETTERING				
"Stay Back 10 Feet" in four inch white-silver material may be applied and centered to the front and rear bumpers. Letters shall be italicized and be of the Helvetica type style and Rear bumper may be marked diagonally forty-five degrees with two inch wide strips of yellow grade five material two inches apart. Must be ordered with "School Bus" lettering above. 495 6-1/2" stripe at beltline for school district I.D. Rear bumper diagonally marked forty-five degrees with two inch wide strips				
497 of yellow grade five material two inches apart				
498 Reflective tape complete package				
430 Nemerive take complete package				

					Standard
					Available
		Please list specifications for the following			or
	Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
499	Other:				
500					

				Standard Available
	Please list specifications for the following			or
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
501				
502 RUSTPROOFING/RUST PROTECTION				
Rustproofing to be a commercial grade. Spray aerosol can type rustproofing				
503 not acceptable				
List your additional rust prevention package above factory installed. Name				
504 product:				
505 Asphalt-based undercoating		Х	Х	
506 Wax-based undercoating				
507 Corrosion protection underdody: List product:				
508 Bumpers rust protection. List product:				
509 Fuel Tank rust protection. List product: Scorpion		Х	Х	
510 Exterior Body rust protection. List product:				
511 Stepwell rust protection. List product:				
512 Paint adhesion and rust protection - 5 years, unlimited miles				
513 No Rust One Piece Stepwell				
514 No Rust Battery Box				
515 Undercoating. List product:				
516 Interior of all panels, where insulation is located, shall be rustproofed				
517 Other:				
518				
519				
520				
521 SEAT BELTS/SEATS/FOAM				
522 25" knee clearance		Х	Х	
523 39" Right front seat		Х	Х	
524 30" Right front seat				

					Standard
					Available
		Please list specifications for the following			or
	Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
	Seat, 39" Interchangeable seat backs, (specialized school bus seats that can				
	be converted from standard seats to three point seat belts or to Integrated				
	Child Restraint Seats (ICS) without removing the seats from the bus and				
	modifying the bus floor for needed reinforcements by replacing the				
	complete backs. Seat frames shall meet applicable FMVSS requirements and				
	seat frames shall be capable for installation of type 2 belts and ICS restraint				
	seating) list make:				
526	Cost for one seat three seat belts installed color coded				
527	Cost for one seat two seat belts installed color coded				
528	Cost per seat to make seat belt ready		4	4	
529	Cost to make all seats, seat belt ready				
530	Districts: Specify if last seat is "full" or "half" for 71 and 77 passengers				
531	Number or letter seats above windows				
532	Padded Interior side rails				
533	Seat color Brown		Х	Х	
534	Seat color Dark Blue				
535	Seat color Gray				
536	Seat color Green				
537	Seat color Maroon				
538	Seat color Medium Blue				
539	Seats 1/2" plywood seat bottoms				
540	Seats 3/8" plywood seat bottoms		Х	Х	
	Seats passenger Kevlar upholstery				
	Seats staggered (not placed directly across each other)		Х	Х	
543	Triad seat foam		Х	Х	
544	Interchangeable seat backs, IMMI/BTI seats				
545	Other:				
546					
547					
548	SEAT, DRIVER'S				
549	Adjustable pedals, factory installed		Х	Х	
550	Tilt steering		Х	Х	

				Standard Available
	Please list specifications for the following			or
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
551 Tilt/Telescopic steering		Х	Х	
552 Pedestal seat non-heated vinyl National				
553 Pedestal seat non-heated vinyl Bostrom				
554 AIR RIDE NON HEATED SEAT VINYL BOSTROM				
555 Air ride seat heated cloth National				
556 Air ride seat non-heated cloth National		Х	Х	
557 Air ride seat heated cloth Bostrom				
558 Air ride seat non-heated cloth Bostrom				
559 Driver's seat armrests option. List price per side:				
560 Fabric driver's seat, non-flammable				
561 Driver's adjustable shoulder harness		Х	Х	
562 Driver's high visibility orange safety adjustable shoulder harness				
563 Front barrier cover with multiple pouches. State # of pouches:				
564 Front barrier cover with a single pouch				
565 Standard heated air suspension				
566 Standard heated hydraulic suspension				
567 Other:				
568				
569				
570				
571 SIDE RAILS/PANELS				
572 16 gauge smooth exterior panels		Х	Х	
573 Full length and acoustical headliner		Х	Х	
574 Black snow rail		Х	Х	
575 Rub rail above rear bumper				
576 Rub rails painted black full width		Х	Х	
577 Seal top of all rub rails				
578 Third rub rail. Shall be painted black.		Х	Х	
579 Rubber fender extensions rear, only				
580 Rubber fender extensions front and rear				
581 Window line rubrail to extend around rear of bus				
582 Other:				

		ease list specifications for the following			Available or
Bus Size (Conve	itional) inf	formation in the space provided below	71/72	77/78	Additional
583					
584					
	FOR/HEATER HOSES				
586 Constant torque	·				
587 Heater hoses, s					
	Hoses Unsealed in Lieu of Silicone Hoses		Х	Х	
589 Radiator hoses,	ilicone				
590 Other:					
591					
592					
593 STOP ARM/CRO	SSING ARM				
	o Arm with LED lamps		Х	Х	
•	o Arm with LED strobe lamps				
596 Air operated Sto	o Arm with Standard lamps				
597 Air operated Sto	o Arm, Dual Signs				
598 Air operated Sto	o Arm, Dual Signs, LED Strobing				
599 Electric Stop Ar	with LED lamps				
	with LED lamps, Transpec				
· ·	with LED strobe lamps				
	with Standard lamps				
603 Electric Stop Ar					
604 Electric Stop Ar	, Dual Signs, LED Strobing				
605 Latch/magnet f	r crossing arm/gate				
606 Solid Fiberglass	sir Crossing Gate Mounted on Front Bumper. State Brand:				
	Electric Crossing Gate Mounted on Front Bumper. State Brand.				
607 Brand:	sectific crossing date infounted on Front bumper. State				
608 Other:					
609					
610					
611	 				

					Standard Available
	Bus Size (Conventional)	Please list specifications for the following information in the space provided below	71/72	77/78	or Additional
C13	Bus Size (Conventional)	imormation in the space provided below	71/72	////8	Additional
	STORAGE COMPARTMENTS, INTERIOR		.,	.,	
	Dash mounted glove box with door and lock		Х	Х	
	Glove box, bulkhead without lock				
	Storage compartment without lock next to driver				
	Storage box with lock above driver's window				
	Storage box without lock above driver's window		Х	Х	
	Safety equipment compartment, labeled, above windshield		Х	Х	
	Flares behind driver's seat				
	Over windshield with a flush mounted camera box				
	Other:				
622					
62 3					
624					
625					
	STORAGE COMPARTMENTS, EXTERIOR				
	Door assist cylinder, price per door				
	Door locks per door				
629	Double left side. List size:				
	Double right side. List size:				
	Single left side. List size:				
632	Single right side. List size: 55"x22"25"			Х	
633	Double Non metal compartment. List size:				
634	Pass-through compartment, four doors				
635	Other:				
636					
637					
638					
639	STUDENT DETECTION SYSTEM				
640	Child Reminder System. State brand:				
641	Child Reminder System unloading delay option. State brand:				
	Other:				
643					

		Please list specifications for the following			Standard Available or
	Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
644					
645					
646					
647	WARRANTIES, EXTENDED WARRANTIES				
648	See Warranties Page, for pricing			Х	
649					
650	WHEELS, RIMS, TIRES				
651	Other: Rear tires M&S		Х	Х	
652		·			

Bus Size (Conventional)	Please list specifications for the following information in the space provided below	71/72	77/78	Standard Available or Additional
653 WINDOWS/WINDSHIELD			•	
Cost of two additional emergency windows (total of 4 emergency windows				
654 on bus)			Х	
Thermopane price per window. List which pieces are thermopane:				
655 windshield, side sash, driver window, doors, etc.):				
656 Tinted Driver's Window. List tint: 70		Х	Х	
657 Tinted Entrance Door. List tint: 70		Х	Х	
658 Tinted Rear Window. List tint:				
659 Tinted side windows. List tint: 28		Х	Х	
660 Powdercoated Black Window Frames				
661 One gallon washer fluid reservoir		Х	Х	
662 One and one-half Gallon Washer fluid reservoir				
663 Six quart washer fluid reservoir				
664 Raised passenger window line				
665 Windshield four piece flat		Х	Х	
666 Windshield one piece				
667 Windshield three piece				
668 Windshield two piece curved				
669 Heated windshield wipers				
670 Heated washer fluid units				
671 Other:				
672				
673				
674				
675 WIRING				
676 NOTE TO DISTRICTS: You may want to consider pre-wiring for future installs				
677 As-Built Wiring Schematics		Х	Х	
678 Color-coded numbered wiring		х	х	
679 Multiplex wiring package. State wires included: chassis		Х	Х	
680 Pre-Wire for 2-way radio. State harness location:				
681 Wireless access points for Wi-Fi capability				

	Please list specifications for the following			Standard Available or
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
682 Wiring for camera, only. State harness location:				
683 Wiring harness for GPS system, without GPS system. State harness location:				
684 Other:				
685				
686				
687				
688 OTHER OPTIONS				
689 Air horns				
690 Air horns, foot control				
691 All keys alike				
692 Chrome radiator grill				
693 Composite trash can compartment				
694 Cup holder		Х	Х	
695 Exhaust exit left-hand side ahead of rear wheels				
696 Exhaust exit under rear bumper, turned down				
697 Exhaust exit left-hand side ahead of rear wheels, stainless steel		Х	Х	
698 Exhaust exit under rear bumper, turned down, stainless steel				
699 Extra insulation firewall and roof bows		Х	Х	
700 LH arm rest on switch panel		Х	Х	
701 Mudflap, Full width at rear bumper in addition to standard flaps				
702 Mudflap, Full width to be mounted at rear bumper				
703 Mudflap, Full width at rear axle single flap				
704 Mudflaps, additional mudflaps to be mounted in front of rear wheels				
705 Mudflaps, front (pair)		Х	Х	
706 Pre-heater box to be located adjacent to battery box				
707 Second set of logos decals, rear mounted		Х	Х	
708 Tire Chains				
709 Mobileye collision avoidance				
710 Mobileye 360 Perimiter view camera system				
711 Tire Pressure monitoring system				
712 Smarttrac electronic stability control				

Bus Size (Conventional)	Please list specifications for the following information in the space provided below	71/72	77/78	Standard Available or Additional
713 Certificate holder				
714 Clipboard holder				
715 Other:				
716				
717				
718				
719				
720 HANDICAPPED BODY OPTIONS				
DISTRICTS - YOU ARE TO SUBMIT a Floor Plan as to the seating and the placement of wheelchairs. Note location of Heater Boxes and Wheel Wells if the bus is not equipped with a flat floor. Show plan for amount of forward-Facing Wheelchairs, with an approximate capacity of remaining ambulatory students allowable for each size vehicle. Wheelchair lift location specified by the District. DISTRICTS MUST CONFIRM WITH VENDOR THEIR DESIGN SPECIFICATIONS PRIOR TO ORDERING BUS. VENDORS - FLOOR TRACK MUST BE "THROUGH BOLTED" WITH GRADE #5 BOLTS OR BETTER WITH REINFORCING OR WASHERS ON UNDERSIDE OF FLOOR PAN. SCREW TYPE FASTENERS NOT ACCEPTABLE. Lift Price should include a rear mounted lift with a 34" platform, lift door, lighting, interlocks and holddown for one position located across from the				
723 lift. ADA compliant lifts only.				
724 Braun Lift. State model:				
725 Braun Lift 1000lb capacity. State model:				
726 Ricon Lift. State model:				
727 Ricon Lift 1000lb capacity. State model:				
728 Price difference for a front mounted lift				
Flat floor (includes low profile tires and rear air suspension Contact vendor				
729 for specifics.)				
730 Recessed floor track L-track for track seating per wheelchair position				

					Standard
					Available
		Please list specifications for the following			or
Bus Size	(Conventional)	information in the space provided below	71/72	77/78	Additional
Recessed	floor track L-track full length both sides and shoulder harness track				
731 above wi					
732 Recessed	floor track covers				
733 Stainless	steel fasteners to secure track to floor				
734 Sealed pl	ywood floor track grooves prior to installation of floor track				
735 S.T.A.R.S	Floor mount hardware per wheel chair position				
736 30" Track	mounted seat - Each				
737 36" Track	mounted seat - Each				
738 39" Track	mounted seat - Each				
4"x4" H/	C decal on L/Front body cowl and 8"x8" H/C decal on R/Rear with				
739 white ba	cking				
740 Addition	al interior light and switch at lift area for lift door and light				
741 Interior o	eiling lamp over lift area				
742 Interior o	eiling lamp over lift area comes on automatically when door opens				
One wor	k light per wheelchair securement area, wall-mounted under chair				
743 rail, unde	er seats				
744 Exterior l	amp mounted above lift door				
745 Other:					
746					
747					
748					
749					
750					
751					
752					
753 WHEELC	HAIR RESTRAINT COST PER CHAIR				
754 Q-Straint	QRT Max				
755 Q-Straint	QRT Deluxe				
756 Q-Straint	QRT 360				
757 Q-Straint	Slide N Click				
758 Q-Straint	. State model:				

		Please list specifications for the following			Standard Available or
Bus Size (Co	nventional)	information in the space provided below	71/72	77/78	Additional
759 Sure-Lok FE	517-4				
760 Sure-Lok FF	512S-4C-7				
761 Sure-Lok AL	712S-4C-7				
762 Sure-Lok. St	ate model				
763 Quick Strap	s, One pair (2)				
764 Restraint st	orage pouch				
765 Shoulder re	straint retractable				
766 Other:					
767					
768					
769					
770 C.E. WHITE					
771 Cost of barr	er for placing CR-30 in a first row seat				
	er for placing CR-39 in a first row seat				
	0 seat, not installed				
	0 seat with seat belts, not installed				
	0 seat, track mounted				
776 Cost of CR-3	0 seat with seat belts, track mounted				
	9 seat, not installed				
	9 seat with seat belts, not installed				
	9 seat, track mounted				
	9 seat with seat belts, track mounted				
781 Cost of CR-3					
782 Cost of CR-3					
783 Cost of CR-3					
784 Cost of CR-3	9 seat foam				
785 Other:					
786					
787					
788					
789					

				Standard Available
	Please list specifications for the following			or
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
790 NEW: APPROVED OPTION LIST FOR OHIO SCHOOL BUS				
Fire suppression system: must be installed per the manufacturer's recommendations. Installation shall not interfere with the driver's ability to operate any OEM controls and shall be completely isolated from the				
vehicle's electrical system by means of a fuse or breaker. The suppressant				
delivery points may be installed in the engine compartment, battery box, and undercarriage of the vehicle. Mounting of the system shall be outside of				
the passenger compartment and have no effect on the vehicles structure to				
include welding or drilling into the main frame. The cylinder and gauges shall				
be contained in a metal protective box and marked on three sides in 2 inch red letters "Fire Suppression" on a white background. The system shall be				
isolated to prevent accidental discharge of the suppression contents. A				
monitor to show the status of the unit may be installed in the driver's area in				
791 such a way as to not interfere with the safe operation of the bus.				
792				
793				
794 NON-SCHOOL BUS OPTIONS				
Bus is built same as school bus but will not have 8-way light system, swing- out stop sign and will not be painted yellow. All lettering as required by				
795 State law for school buses will be omitted.				
State law for school buses will be offlitted.				
796 Insullation all sides, roof shafts, front and rear panels and all roof bows				
797 Auxillary port in dash for cell phone				
798 Window sash all black. Exterior and between windows shall be painted black				
799 Front interior A/C blower in front bulkhead				
800 Rear interior A/C blower in rear bulkhead				
801 A/C roof-mounted condenser; 120,000 BTUs or greater				
802 COLOR OPTIONS				

	Please list specifications for the following		_	Standard Available or
Bus Size (Conventional)	information in the space provided below	71/72	77/78	Additional
Per district's spec. Districts, please supply color specifications, including				
803 color(s), placement and dimensions. Sketches are helpful. Please attach.				

	Bus Size (Conventional)	Please list specifications for the following information in the space provided below	71/72	77/78	Standard Available or Additional
804 F	REFLECTIVE TAPE				
	Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.				
	Other:				
807					
808					
	ANY OTHER ADDITIONAL OPTIONS (list below)				
	Railroad silent switch		Х	Х	
	Panel located in floor to access fuel sending unit		Х	Х	
812					
813					
814 815					
816					
817					
818					
819					
820					
821					
822					
823					
824					
825					
826					
827					
828					