Bid price as specified without options as per Federal and State of Ohio Department of Education minimum school bus specifications under 4501-5 (inclusive) ORC. All bids will comply with the current safety regulations of the Department of Education adopted by and with the advice and consent of the director of public safety pursuant to section 4511.76 of the Revised Code and all other pertinent provisions of law. The body/chassis supplier shall provide and attach a complete body/chassis specification sheet itemizing- including manufacturer brand names of the State of Ohio Department of Education minimum school bus body/chassis that will be supplied at this base bid. Must meet or exceed FMVSS/CMVSS standards.

В١	v sigr	ning	this s	pecification	. vou	guarantee	that the	eaui	pment	being	bid	meets al	l state s	pecifications
_	יתיט ע			pecinication	, ,	5uui uiitee	tilut til	Cyui	PILICIE	OCIII,	, ~:~	IIICC CO GI	. state s	pecineations

New London Local Schools	District	419.929.9559
Daniel D. Bailey - Transp. Supv.	Contact	
dbailey@newlondon.k12.oh.us		

Vendor List base price
(Includes freight)

Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
Passenger Size	< 20		
Model Name	х		
Model Number	Х		
Body Make	Х		
Chassis Make	Х		
Base Bid Price - Integrated, meets State of Ohio minimum standards, includes			
freight	х		
GVWR	х		
Body length (inches - maximum 480")	х		
Body width (inches - maximum 102")	х		
Wheelbase (inches)	х		
Delivery Days	х		
Special Discounts			
	х		

Bus Classification	Type A-l	Please list specifications for the following information in the space provided below	Standard Available or Additional
		st additional price to base bid or mark N/A.	
Bus Classification	Type A-I		Type A-II
STATE GAS ENGINES/TRANSMISSIONS AVAILABLE:			
GM engine - 6.0L / Automatic transmission	Х		
STATE DIESEL ENGINES/TRANSMISSIONS AVAILABLE:			
STATE PROPANE ENGINE/TRANSMISSIONS AVAILABLE:			
STATE PROPANE ENGINE/ TRANSIVIISSIONS AVAILABLE.			
STATE CNG ENGINES/TRANSMISSIONS AVAILABLE:			
ALTERNATOR			
Alternator, please state brand and amps available: Delco	х		
AXLES/BRAKES/SUSPENSION			
Front and rear axles, including suspension assemblies and all frame-to-ground			
components shall have a gross axle rating at ground at least equal to that portion of			
the load as would be imposed by the chassis manufacturer's maximum gross			
vehicle weight rating	х		
All vehicles shall be equipped with appropriate gross vehicle weight rating axles,			
suspension system and tires by the chassis manufacturer.	x		

			Please list specifications for the following	Standard Available or
	Bus Classification	Type A-I	information in the space provided below	Additional
31	All axles shall be rated as heavy duty. 16" x 6 front			
32	Differential lock or positraction			
33	Front axle, State lbs.:			
34	Rear axle, State lbs.:			
35	Hydraulic brakes front			
36	Hydraulic brakes rear			
37	Rear axle size single wheels			
38	Rear axle size dual wheels	х		
39	Gross Vehicle Weight (GVW) 9,000 lbs.			
40	Gross Vehicle Weight (GVW) 10,000 lbs.			
41	Gross Vehicle Weight (GVW) 12,000 lbs.	х		
42	Gross Vehicle Weight (GVW) 14,000 lbs.			
43	Gross Vehicle Weight (GVW) 15,000 lbs.			
44	Other:			
45				
46				
47				
48				
	BATTERIES/BLOCK HEATERS			
50	Dual batteries, state sizes:	х		
51				
52				
	Single batteries, state sizes:			
54				
55				
	Heavy Duty Battery Box on HD Sliders			
	Heavy Duty Battery Box W/ Roller Tray			
	Key lock battery box			
	Loom battery cables			
	Master electric cutoff switch			
	No Rust Composite Battery Box			
	Stainless battery tray			
	Block heater plug front mounted plug			
	Block heater plug rear mounted plug			
65	Engine block heater 750 watts			

	Bus Classification	Type A-l	Please list specifications for the following information in the space provided below	Standard Available or Additional
	Espar Diesel Heater E-Guardian 42K BTU			
	Espar Diesel Heater E-Guardian 17K BTU			
	Webasto Diesel Heater Scholastic Series 45K BTU			
69	Webasto Diesel Heater TLS 17K BTU			
70	Diesel heater manual on/off switch. State brand and Model:			
71	Diesel heater 7 day timer. State brand and Model:			
72	Other:			
73				
74				
75				
76				
77	BODY STRUCTURE/PAINT			
	Body Tie Downs: "Texas U-Bolt"			
	Body Tie Downs: Double bolted			
	Drip moulding formed in roof panels over windows			
	Drip Moulding/Rain Deflector Full Body Length			
	Heavy duty front tow hooks frame mounted	х		
	Heavy duty rear tow hooks frame mounted			
	Grill painted silver			
	Paint Hood flat black			
86	Paint Hood Yellow	х		
	Roof-White			
	Stainless steel Screws for fenders/body, ext. mirrors, cross gate & stop arm			
89	Other:			
90				
91				
92				
93				
94				
	CAMERAS			
	24/7 320 GB DHD sensors and panic button installed			
	24/7 64 GB SDHC sensors and panic button installed			
	24/7 additional camera			
	24/7 GPS			
	24/7 Stop arm camera			

	Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
101	24/7 Dome camera			
102	REI 500 GB DHD sensors and panic button installed			
103	REI 320 GB DHD sensors and panic button installed			
104	REI 64 GB SDHC sensors and panic button installed			
105	REI additional camera			
106	REI Wi-Fi bridge			
107	REI GPS			
108	REI Stop arm camera			
109	Angel Trax video system, Hybrid guest with VSM			
110	Seon 1 Camera System			
111	Seon 2 Camera System			
112	Camera box with wiring only, installed			
113	Other:			
114				
115				
116	WINDOW/ROOF HATCH/POWER VENTILATORS			
	Face mounted emergency window instructions decals on windows - external			
117	mounted on window			
118	List quantity of roof hatches included per size of unit:			
119	Roof Escape Hatch Lo Profile. List Brand:	х		
120	Roof Escape Hatch Power Ventilated. List Brand:			
121	Roof Escape Hatch standard. List Brand:			
122	Additional roof hatch			
123	Power Ventilator. State Brand:			
124	Pushout Emergency Window - horizontal hinged			
125	Pushout Emergency Window - vertical hinged			
126	Rear window air dam			
127	Other:			
128				
129				
130	DOORS/LOCKS			
	Air-operated heavy duty, outward opening entrance door, full view glass,			
	greaseable hinges			
	Deluxe manual heavy duty, outward opening entrance door, full view glass,			
	greaseable hinges			

		Please list specifications for the following	Standard Available or
Bus Classification	Type A-I	information in the space provided below	Additional
Electric heavy duty, outward opening entrance door, full view glass, greaseable			
hinges	Х		
Paint Entrance Door Yellow			
Vandal lock entrance door, manual lock			
36 Vandal lock entrance door, electric lock			
37 Vandal Lock rear door with Interlock			
88 Vandal lock rear emergency window with interlock			
39 Vandal lock lift door with interlock			
10 Rear door with concealed hinges (Must have Zerk Fittings)			
Rear door with greaseable door hinges (Must have Zerk Fittings)			
Header pad mounted above rear door	х		
Header pad mounted above entrance door	х		
14 Upholstered header pad mounted above rear door			
15 Upholstered header pad mounted above entrance door			
46 Other:			
17			
18			
19			
50			
51 FLOOR/STEPWELL			
52 5/8" 5-ply type CD exterior grade	х		
53 5/8" Marine grade plywood			
54 5/8" Treated plywood			
55 Aluminum floor trim (aisle, other)			
56 Stainless steel floor trim (aisle, other)			
7 Plastic or vinyl floor trim			
58 Floor coloring Black			
59 Floor coloring Brown			
50 Floor coloring Gray	х		
51 Floor coloring Green			
52 Floor coloring Light Blue			
Floor coloring Tan			
54 One piece floor covering			
55 Studded texture step treads metal backed			
56 Studded texture step treads non-metal backed			

	Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
167	Insulated step well (for sound abatement)			
168	Stainless steel stepwell (State steel gauge):			
169	Steel preformed with Proflex			
170	Koroseal entire floor			
171	Koroseal floor trim			
172	Koroseal pebble tread			
173	Fold-out step power activated			
174	Fold-out step manually operated			
175	Other:			
176				
177				
178				
179	FUEL TANK, LARGER			
180	Between Frame Rail. List available options:			
181				_

	Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
182				
183				
	GAUGES			
	12 Volt accessory plug	Х		
	Alarm- Backup with 107 dB(A)			
	Alarm- Backup with 112 dB(A)			
	Ampere gauge to match alternator output			
	Engine hour meter			
	Transmission oil temperature gauge			
	Optional Gauge Package. Please specify:			
	Circuit breakers where available, auto reset			
193	Circuit Breakers where available, manual reset			
	Clock	х		
195	Cruise control	Х		
196	Headlight on, key off, alarm			
197	Idle time circuit turned on			
198	Two Spare Circuits - 14 gauge wire	х		
199	Door switch on left panel (not on steering wheel)			
200	Other:			
201				
202				
203				
204	HEATER, ADDITIONAL LARGER/ AIR CONDITIONING			
205	20,500 BTU wall mounted for wheelchair			
206	40,000 BTU wall mounted for wheelchair			
207	50,000 BTU rear			
208	Other heaters available, please specify:			
209	40,000 BTU w/floor mounted	Х		
210				
211				
212	Fuel fired heater. Please State Brand:			
	Heater circulating pump. State Brand:			
	Heater pump switch illuminated when on			
	Air Conditioning - Underbody condenser, please state sizes available:			
216				

	Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
217				
218				

	Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
219	INSIDE BODY HEIGHT			
220	66 inches interior height			
221	73 inches interior height			
222	74 inches interior height			
223	Other:			
224				
225				
226	INTERIOR COLOR			
227	Blue interior color			
	White interior color	х		
229	Other:			
230				
231				
	INTERIOR PANELS			
	Aluminized interior panels			
	Modesty/kick panel/barrier at front door and behind driver's seat	х		
235	Other:			
236				
237				
238				
239	LIGHTS, EXTERIOR			
240	Additional side exterior directional lamps, below window and behind rear wheels			
	Daytime running lights			
	Entrance light activated by opening of door			
	Fog lamps			
244	Halogen headlights			
	LED light package. Please state package components:	х		
246				
247				
248				
249				
250	LED marker/clearance lights	х		
251	LED turn signal/brake lights	х		
252	LED warning lights			

				Standard
	Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Available or Additional
253	Lighted backing sign			
	Lighted School Bus sign front and rear			
255	Sound-off LED Warning Lights - red/amber - price per bus			
256	Strobe light high profile			
	Strobe light low profile inside power supply. State brand:	х		
	Under hood light of 20 candle power switched to driver's area			
	Warning light sun visors			
	Other:			
261				
262				
263				
264				
265				
266				
267	LIGHTS, INTERIOR			
	Additional dome light mounted over driver's seat w/separate switch	х		
269	Column mounted dimmer switch	х		
270	Dome lights two rows			
271	Lamp monitor 16 lamp			
	Lamp monitor 8 lamp			
	Red lights mounted in ceiling above each emergency exit window and door,			
273	controlled by headlight switch			
	Warning lamp system, 8 way flashing, Baader-Brown			
	Warning lamp system, 8 way flashing, Weldon 7000			
	Dome lights, LED			
277	Other:			
278				
279				
280				
281	MANUALS/SOFTWARE			
	ABS software			
	Engine software			
	Transmission software			
285	All Parts/Service manuals in bound paper format			
	All Parts/Service manuals in CD format			

	Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
287	Diamond Logic Builder Software, license, updates and annual renewal			

Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
Laptop computer with all necessary licensing, hardware and software to properly			
diagnose engines, transmissions, ABS and all related electronic components. The			
computer should contain enough memory and storage capacity to run all programs			
including parts catalogs and maintenance and repair programs specific to the			
vehicles quoted. Eight (8) hours of training on this computer for the mechanics.			
One thousand dollars (\$1,000.00) will be held back from payment until completion			
288 of mechanic's training.			
289 Nexiq Adapter: USB port connection			
290 Other:			
291			
292			
293 MIRRORS, INTERIOR			
Mounted over rear emergency door, 12"x18" minimum			
295 Prizm mirror mounted inside on rear door			
296 Front 6" x 30" non-glare in lieu of standard			
297 Front 8" x 30" in lieu of standard			
298 Front, 10"x30" in lieu of standard			
299 Front, 10"x30" non-glare in lieu of standard			
300 Sun visor 6x30			
301 Right-side sun visor, minimum six inches by sixteen inches in size.			
302 Backup camera integrated into 6x30 rear view mirror	х		
303 Other:			
304			
305 MIRRORS, EXTERIOR			
306 All exterior stainless steel mirror brackets with bright finish.			
307 Double nickel mirrors			
308 Extended passenger side mirror brackets for double nickel			
309 Mirrorlight mirror			
310 Mirrorlight remote control mirror			
311 Mirrorlite Crossview			
312 Rosco Crossview mirror			
313 Rosco heated mirrors			
314 Rosco heated remote control mirrors			
315 Rosco ES mirror heads			
316 Self-canceling mirror defrost switch			

	Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
317	Other:			
318				

	Bus Classification	Type A-l	Please list specifications for the following information in the space provided below	Standard Available or Additional
319	PUBLIC ADDRESS/RADIOS/GPS			
320	Additional speakers inside – 2			
321	Additional speakers inside – 4			
322	AM/FM/CD Radio with four speakers			
323	AM/FM/CD/PA Radio with four speakers			
324	AM/FM/CD/USB/MP3 with four speakers			
325	AM/FM/CD/USB/MP3/PA with four speakers			
326	AM/FM/PA Radio with four speakers			
327	AM/FM/USB/MP3 with four speakers			
328	AM/FM/USB/MP3/PA with four speakers			
329	Outside speaker			
330	Outside speaker mounted under hood			
331	Public address system only. List # of speakers:			
	Two-way radio, Motorola CDM750 or equal, with lockable mount and antennae			
332	(not mounted in bus)			
333	GPS System. State Brand:			
334	WiFi assist. State brand:			
335	Other:			
336				
337				
338				
339	RADIATOR			
340	Air Controlled Automatic radiator shutters			
341	Electric fan clutch			
	Fan drive hyd pump and motor with fixed speed and residual torque for			
342	disengaging fan speed			
343	Metal bolted tanks			
344	Viscous controlled fan			
345	Winterfront			
346	Other:			
347				
348				
349	REFLECTIVE MARKINGS / LETTERING			

			Standard
		Please list specifications for the following	Standard Available or
Bus Classification	Type A-I	information in the space provided below	Additional
"Stay Back 10 Feet" in four inch white-silver material may be applied and centered			
to the front and rear bumpers. Letters shall be italicized and be of the Helvetica			
type style and Rear bumper may be marked diagonally forty-five degrees with two			
inch wide strips of yellow grade five material two inches apart. Must be ordered			
350 with "School Bus" lettering above.			
351 6-1/2" stripe at beltline for school district I.D.			
Rear bumper diagonally marked forty-five degrees with two inch wide strips of			
352 yellow grade five material two inches apart			
353 Other:			
354			
355			
356			
357 RUSTPROOFING/RUST PROTECTION			
Rustproofing to be a commercial grade. Spray aerosol can type rustproofing not			
358 acceptable			
List your additional rust prevention package above factory installed. Name product:			
359			
360 Asphalt-based undercoating	X		
361 Wax-based undercoating			
362 Corrosion protection underdody: List product:			
363 Bumpers rust protection. List product:			
364 Fuel Tank rust protection. List product:			
365 Exterior Body rust protection. List product:			
366 Stepwell rust protection. List product:			
367 Paint adhesion and rust protection - 5 years, unlimited miles			
368 No Rust One Piece Stepwell			
369 No Rust Battery Box			
370 Undercoating. List product:			
371 Interior of all panels, where insulation is located, shall be rustproofed			
372 Other:			
373			
374			
375			
376 SEAT BELTS/SEATS/FOAM			
377 25" knee clearance			

	Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
378	39" Right front seat			
379	30" Right front seat			
	Seat, 39" Interchangeable seat backs, (specialized school bus seats that can be converted from standard seats to three point seat belts or to Integrated Child Restraint Seats (ICS) without removing the seats from the bus and modifying the bus floor for needed reinforcements by replacing the complete backs. Seat frames shall meet applicable FMVSS requirements and seat frames shall be capable for installation of type 2 belts and ICS restraint seating) list make:			
	Cost for one seat three seat belts installed color coded			
	Cost for one seat two seat belts installed color coded X 4 seats	X		
	Cost per seat to make seat belt ready	^		
	Cost to make all seats, seat belt ready	Х		
	Districts: Specify if last seat is "full" or "half" for 71 and 77 passengers			
	Number or letter seats above windows			
387	Padded Interior side rails			
388	Seat color Brown	Х		
389	Seat color Dark Blue			
390	Seat color Gray			
391	Seat color Green			
392	Seat color Maroon			
	Seat color Medium Blue			
	Seats 1/2" plywood seat bottoms			
	Seats 3/8" plywood seat bottoms			
	Seats passenger Kevlar upholstery			
	Seats staggered (not placed directly across each other)			
	Triad seat foam			
	Interchangeable seat backs, IMMI/BTI seats			
	Other: 8 Integrated Seat Belt Positions	X		
401				
402				
	SEAT, DRIVER'S			
	Adjustable pedals, factory installed			
	Tilt steering Tilt/Telescopic steering	Х		

Ві	us Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
407 Pe	edestal seat non-heated vinyl National			
408 Pe	edestal seat non-heated vinyl Bostrom			
409 Ai	r ride seat heated cloth National			
410 Ai	r ride seat non-heated cloth National			
411 Ai	r ride seat heated cloth Bostrom			
412 Ai	r ride seat non-heated cloth Bostrom			
413 Dı	river's seat armrests option. List price per side:			
414 Fa	abric driver's seat, non-flammable			
415 Dı	river's adjustable shoulder harness			
416 Dı	river's high visibility orange safety adjustable shoulder harness			
417 Fr	ont barrier cover with multiple pouches. State # of pouches:			
418 Fr	ont barrier cover with a single pouch			
419 St	andard heated air suspension			
420 St	andard heated hydraulic suspension			
421 <mark>O</mark> 1	ther:			
422				
423				
424 SI	DE RAILS/PANELS			
425 16	gauge smooth exterior panels			
426 Ex	cternal safety sensor. Please state brand:			
427 Fu	ıll length and acoustical headliner			
428 Ro	oof – White	Х		
429 H	ood - Flat black			
430 Ru	ubber fender extensions front and rear			
431 Sr	now Rail			
432 <mark>O</mark> 1	ther:			
433				
434				
435				
436 S1	TOP ARM/CROSSING ARM			
_	r operated Stop Arm with LED lamps			
438 Ai	r operated Stop Arm with LED strobe lamps			
	r operated Stop Arm with Standard lamps			
440 Ai	r operated Stop Arm, Dual Signs			
441 Ai	r operated Stop Arm, Dual Signs, LED Strobing			
	-			

Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
442 Electric Stop Arm with LED lamps	Х		
443 Electric Stop Arm with LED lamps, Transpec			
444 Electric Stop Arm with LED strobe lamps			
445 Electric Stop Arm with Standard lamps			
446 Electric Stop Arm, Dual Signs			
447 Electric Stop Arm, Dual Signs, LED Strobing			
448 Latch/magnet for crossing arm/gate			
449 Solid Fiberglass Air Crossing Gate Mounted on Front Bumper. State Brand:			
450 Solid Fiberglass Electric Crossing Gate Mounted on Front Bumper. State Brand:			
451 Other:			
452			
453			
454			

				Standard
Bus Classific	ation	Type A-I	Please list specifications for the following information in the space provided below	Available or Additional
455 STORAGE CO	MPARTMENTS, INTERIOR			
	d glove box with door and lock			
457 Glove box, b	ulkhead without lock			
458 Storage com	partment without lock next to driver			
459 Storage box	with lock above driver's window			
460 Storage box	without lock above driver's window			
461 Safety equip	ment compartment, labeled, above windshield			
462 Flares behind	l driver's seat			
463 Over windsh	eld with a flush mounted camera box			
464 Other:				
465				
466				
467 STUDENT DE	TECTION SYSTEM			
468 Child Remind	er System. State brand: Doran	х		
469 Child Remind	er System unloading delay option. State brand:			
470 Other:				
471				
472				
473				
474				
475 WARRANTIE	S			
476 Standard cha	ssis warranty, attach warranty	х		
477 Standard boo	ly warranty, attach warranty	х		
	NDED WARRANTIES, PLEASE LIST AND ATTACH			
479				
480				
481				
482 TRANSMISSI	ON EXTENDED WARRANTIES, PLEASE LIST AND ATTACH			
483				
484				
485				
486				
COMPONEN	TS (i.e. axle, sound system, alternator, etc.) WHEN THE COST IS IN			
	THE BASE BUS MANUFACTURER'S WARRANTY, PLEASE LIST AND			
487 ATTACH				

В	us Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
488				
489				
490				
491				
492				
	lease indicate if any of the component manufacturers' warranties are greater than he bus manufacturers' warranties:			
494				
495				
496 E	XTENDED - PLEASE LIST AND ATTACH			
497				
498				
499				
500				
501				
502				
503				
504				
505				
	VHEELS, RIMS, TIRES			
	Vheels hub-piloted disc type wheels			
	pare wheel only			
	pare wheel and tire			
0	ther: Rear tires M&S	X		
	VINDOWS/WINDSHIELD			
	hermopane price per window. List which pieces are thermopane: windshield,			
	ide sash, driver window, doors, etc.):			
	inted Driver's Window. List tint:			
	inted Entrance Door. List tint:			
	inted Rear Window. List tint:			
	inted side windows. List tint:	Х		
	owdercoated Black Window Frames			
	ne gallon washer fluid reservoir	Х		
518 O	ne and one-half Gallon Washer fluid reservoir			

		Please list specifications for the following	Standard Available or
Bus Classification	Type A-I	information in the space provided below	Additional
519 Six quart washer fluid reservoir			
520 Raised passenger window line			
521 Heated windshield wipers			
522 Heated washer fluid units			
523 Other:			
524			
525			
526			
527 WIRING			
528 NOTE TO DISTRICTS: You may want to consider pre-wiring for future installs			
529 As-Built Wiring Schematics	х		
530 Color-coded numbered wiring	х		
531 Multiplex wiring package. State wires included:			
532 Pre-Wire for 2-way radio. State harness location:			
533 Wireless access points for Wi-Fi capability			
534 Wiring for camera, only. State harness location:			
535 Wiring harness for GPS system, without GPS system. State harness location:			
536 Other:			
537			
538			
539			
540 OTHER OPTIONS			
541 Air horns			
542 Air horns, foot control			
543 All keys alike			
544 Body fluid kit metal box			
545 Chrome radiator grill			
546 Composite trash can compartment			
547 Cup holder	х		
548 Exhaust exit left-hand side ahead of rear wheels			
549 Exhaust exit under rear bumper, turned down	х		
550 Exhaust exit left-hand side ahead of rear wheels, stainless steel			
551 Exhaust exit under rear bumper, turned down, stainless steel			

	Bus Classification	Type A-l	Please list specifications for the following information in the space provided below	Standard Available or Additional
	Extra insulation firewall and roof bows	Х		
	Pre-heater box to be located adjacent to battery box			
	Second set of logos decals, rear mounted			
	Tire Chains			
	Mobileye collision avoidance			
	Mobileye 360 Perimiter view camera system			
	Tire Pressure monitoring system			
	Smarttrac electronic stability control			
	Certificate holder			
	Clipboard holder			
562	Other:			
563				
564				
565				
566				
567	HANDICAPPED BODY OPTIONS			
	DISTRICTS - YOU ARE TO SUBMIT a Floor Plan as to the seating and the placement			
	of wheelchairs. Note location of Heater Boxes and Wheel Wells if the bus is not			
	equipped with a flat floor. Show plan for amount of forward-Facing Wheelchairs,			
	with an approximate capacity of remaining ambulatory students allowable for			
	each size vehicle. Wheelchair lift location specified by the District. DISTRICTS			
	MUST CONFIRM WITH VENDOR THEIR DESIGN SPECIFICATIONS PRIOR TO			
568	ORDERING BUS.			
	VENDORS - FLOOR TRACK MUST BE "THROUGH BOLTED" WITH GRADE #5 BOLTS			
	OR BETTER WITH REINFORCING OR WASHERS ON UNDERSIDE OF FLOOR PAN.			
569	SCREW TYPE FASTENERS NOT ACCEPTABLE.			
	Lift Price should include a rear mounted lift with a 34" platform, lift door, lighting,			
	interlocks and holddown for one position located across from the lift. ADA			
	compliant lifts only.			
_	Braun Lift. State model:	Х		
	Braun Lift 1000lb capacity. State model:			
	Ricon Lift. State model:			
	Ricon Lift 1000lb capacity. State model:			
575	Price difference for a front mounted lift			

				Charles I
			Please list specifications for the following	Standard Available or
	Bus Classification	Type A-I	information in the space provided below	Additional
	Flat floor (includes low profile tires and rear air suspension Contact vendor for			
576	specifics.)			
577	Recessed floor track L-track for track seating per wheelchair position			
	Recessed floor track L-track full length both sides and shoulder harness track above			
	windows			
	Recessed floor track covers			
	Stainless steel fasteners to secure track to floor			
581	Sealed plywood floor track grooves prior to installation of floor track			
	S.T.A.R.S. Floor mount hardware per wheel chair position			
583	30" Track mounted seat - Each			
584	36" Track mounted seat - Each			
	39" Track mounted seat - Each			
	4"x4" H/C decal on L/Front body cowl and 8"x8" H/C decal on R/Rear with white			
586	backing			
587	Additional interior light and switch at lift area for lift door and light			
588	Interior ceiling lamp over lift area			
589	Interior ceiling lamp over lift area comes on automatically when door opens			
	One work light per wheelchair securement area, wall-mounted under chair rail,			
590	under seats			
591	Exterior lamp mounted above lift door			
592	Other:			
593				
594				
595				
596				
597				
598				
599				
600	WHEELCHAIR RESTRAINT COST PER CHAIR			
601	Q-Straint QRT Max	Х		
	Q-Straint QRT Deluxe			
	Q-Straint QRT 360			
	Q-Straint Slide N Click			
	Q-Straint. State model:			

	Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
606	Sure-Lok FE517-4			
607	Sure-Lok FF612S-4C-7			
608	Sure-Lok AL712S-4C-7			
609	Sure-Lok. State model			
610	Quick Straps, One pair (2)	х		
611	Restraint storage pouch	х		
612	Shoulder restraint retractable			
613	Other:			
614				
615				
616				
617	C.E. WHITE SEATS			
618	Cost of barrier for placing CR-30 in a first row seat			
619	Cost of barrier for placing CR-39 in a first row seat			
620	Cost of CR-30 seat, not installed			
621	Cost of CR-30 seat with seat belts, not installed			
622	Cost of CR-30 seat, track mounted			
623	Cost of CR-30 seat with seat belts, track mounted			
624	Cost of CR-39 seat, not installed			
625	Cost of CR-39 seat with seat belts, not installed			
626	Cost of CR-39 seat, track mounted			
627	Cost of CR-39 seat with seat belts, track mounted			
628	Cost of CR-30 seat cover			
629	Cost of CR-30 seat foam			
630	Cost of CR-39 seat cover			
	Cost of CR-39 seat foam			
632	Other:			
633				
634				
635				
636				
637	NEW: APPROVED OPTION LIST FOR OHIO SCHOOL BUS			

Bus Classification	Type A-I	Please list specifications for the following information in the space provided below	Standard Available or Additional
Fire suppression system: must be installed per the manufacturer's recommendations. Installation shall not interfere with the driver's ability to operate any OEM controls and shall be completely isolated from the vehicle's electrical system by means of a fuse or breaker. The suppressant delivery points may be installed in the engine compartment, battery box, and undercarriage of the vehicle. Mounting of the system shall be outside of the passenger compartment and have no effect on the vehicles structure to include welding or drilling into the main frame. The cylinder and gauges shall be contained in a metal protective box and marked on three sides in 2 inch red letters "Fire Suppression" on a white background. The system shall be isolated to prevent accidental discharge of the suppression contents. A monitor to show the status of the unit may be installed in			
suppression contents. A monitor to show the status of the unit may be installed in 638 the driver's area in such a way as to not interfere with the safe operation of the bus.			
639			
ANY OTHER ADDITIONAL OPTIONS (list below) 641			
642			
643			
544			
545			
546			
547			
548			
549			
550			
551			
552			
553			
554			
555			
556			
557			
58			